

Building Site Development
Stutsman County, North Dakota

Soil properties influence the development of building sites, including the selection of the site, the design of the structure, construction, performance after construction, and maintenance. The following tables show the degree and kind of soil limitations that affect dwellings with and without basements, small commercial buildings, local roads and streets, shallow excavations, and lawns and landscaping.

Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect building site development. Not limited indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. Slight indicates that the soil has features that are favorable for the specified use. The limitations are minor and can be easily overcome. Good performance and low maintenance can be expected. Moderate indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. Severe indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Dwellings are single-family houses of three stories or less. For dwellings without basements, the foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil at a depth of 2 feet or at the depth of maximum frost penetration, whichever is deeper. For dwellings with basements, the foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil at a depth of about 7 feet. The ratings for dwellings are based on the soil properties that affect the capacity of the soil to support a load without movement and on the properties that affect excavation and construction costs. The properties that affect the load-supporting capacity include depth to a water table, ponding, flooding, subsidence, linear extensibility (shrink-swell potential), and compressibility. Compressibility is inferred from the Unified classification. The properties that affect the ease and amount of excavation include depth to a water table, ponding, flooding, slope, depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, and the amount and size of rock fragments.

Small commercial buildings are structures that are less than three stories high and do not have basements. The foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil at a depth of 2 feet or at the depth of maximum frost penetration, whichever is deeper. The ratings are based on the soil properties that affect the capacity of the soil to support a load without movement and on the properties that affect excavation and construction costs. The properties that affect the load-supporting capacity include depth to a water table, ponding, flooding, subsidence, linear extensibility (shrink-swell potential), and compressibility (which is inferred from the Unified classification). The properties that affect the ease and amount of excavation include flooding, depth to a water table, ponding, slope, depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, and the amount and size of rock fragments.

Local roads and streets have an all-weather surface and carry automobile and light truck traffic all year. They have a subgrade of cut or fill soil material; a base of gravel, crushed rock, or soil material stabilized by lime or cement; and a surface of flexible material (asphalt), rigid material (concrete), or gravel with a binder. The ratings are based on the soil properties that affect the ease of excavation and grading and the traffic-supporting capacity. The properties that affect the ease of excavation and grading are depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, depth to a water table, ponding, flooding, the amount of large stones, and slope. The properties that affect the traffic-supporting capacity are soil strength (as inferred from the AASHTO group index number), subsidence, linear extensibility (shrink-swell potential), the potential for frost action, depth to a water table, and ponding.

Shallow excavations are trenches or holes dug to a maximum depth of 5 or 6 feet for graves, utility lines, open ditches, or other purposes. The ratings are based on the soil properties that influence the ease of digging and the resistance to sloughing. Depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, the amount of large stones, and dense layers influence the ease of digging, filling, and compacting. Depth to the seasonal high water table, flooding, and ponding may restrict the period when excavations can be made. Slope influences the ease of using machinery. Soil texture, depth to the water table, and linear extensibility (shrink-swell potential) influence the resistance to sloughing.

Lawns and landscaping require soils on which turf and ornamental trees and shrubs can be established and maintained. Irrigation is not considered in the ratings. The ratings are based on the soil properties that affect plant growth and trafficability after vegetation is established. The properties that affect plant growth are reaction; depth to a water table; ponding; depth to bedrock or a cemented pan; the available water capacity in the upper 40 inches; the content of salts, sodium, or calcium carbonate; and sulfidic materials. The properties that affect trafficability are flooding, depth to a water table, ponding, slope, stoniness, and the amount of sand, clay, or organic matter in the surface layer.

Building Site Development--Continued
Stutsman County, North Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. See text for definitions of terms used in this table. Absence of an entry indicates that no rating is applicable.)

Map symbol and soil name	Shallow excavations	Dwellings without basements	Dwellings with basements	Small commercial buildings	Local roads and streets	Lawns and landscaping
1: Southam-----	Severe: ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: low strength shrink-swell ponding	Severe: ponding
2: Parnell-----	Severe: excess humus ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: low strength shrink-swell ponding	Severe: ponding
3: Tonka-----	Severe: ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: low strength shrink-swell ponding	Severe: ponding
4: Hamerly-----	Severe: wetness	Moderate: shrink-swell wetness	Severe: wetness	Moderate: shrink-swell wetness	Severe: frost action	Moderate: wetness
Parnell-----	Severe: excess humus ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: low strength shrink-swell ponding	Severe: ponding
5: Hamerly-----	Severe: wetness	Moderate: shrink-swell wetness	Severe: wetness	Moderate: shrink-swell wetness	Severe: frost action	Moderate: wetness
Tonka-----	Severe: ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: low strength shrink-swell ponding	Severe: ponding
13: Colvin, SALINE-----	Severe: wetness	Severe: flooding wetness	Severe: flooding wetness	Severe: flooding wetness	Severe: low strength wetness	Severe: excess salt wetness
Hamerly, SALINE-----	Severe: wetness	Moderate: shrink-swell wetness	Severe: wetness	Moderate: shrink-swell wetness	Severe: frost action low strength	Severe: excess salt
Vallers, SALINE-----	Severe: wetness	Severe: flooding wetness	Severe: flooding wetness	Severe: flooding wetness	Severe: frost action low strength wetness	Severe: excess salt wetness
15: Hamerly-----	Severe: wetness	Moderate: shrink-swell wetness	Severe: wetness	Moderate: shrink-swell wetness	Severe: frost action	Moderate: wetness
16: Hamerly-----	Severe: wetness	Moderate: shrink-swell wetness	Severe: wetness	Moderate: shrink-swell wetness	Severe: frost action	Moderate: wetness
Wyard-----	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action	Moderate: wetness
18: Hamerly-----	Severe: wetness	Moderate: shrink-swell wetness	Severe: wetness	Moderate: shrink-swell wetness	Severe: frost action	Moderate: wetness
Svea-----	Moderate: wetness	Moderate: shrink-swell	Moderate: shrink-swell wetness	Moderate: shrink-swell	Severe: low strength	Slight

Building Site Development--Continued
Stutsman County, North Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. See text for definitions of terms used in this table. Absence of an entry indicates that no rating is applicable.)

Map symbol and soil name	Shallow excavations	Dwellings without basements	Dwellings with basements	Small commercial buildings	Local roads and streets	Lawns and landscaping
23B: Barnes-----	Slight	Moderate: shrink-swell	Moderate: shrink-swell	Moderate: shrink-swell slope	Severe: low strength	Slight
Svea-----	Moderate: wetness	Moderate: shrink-swell	Moderate: shrink-swell wetness	Moderate: shrink-swell slope	Severe: low strength	Slight
23C: Barnes-----	Slight	Moderate: shrink-swell	Moderate: shrink-swell	Moderate: shrink-swell slope	Severe: low strength	Slight
Buse-----	Slight	Moderate: shrink-swell	Moderate: shrink-swell	Moderate: shrink-swell slope	Severe: low strength	Slight
23D: Buse-----	Moderate: slope	Moderate: shrink-swell slope	Moderate: shrink-swell slope	Severe: slope	Severe: low strength	Moderate: slope
Barnes-----	Moderate: slope	Moderate: shrink-swell slope	Moderate: shrink-swell slope	Severe: slope	Severe: low strength	Moderate: slope
23F: Buse-----	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: low strength slope	Severe: slope
Svea-----	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: low strength slope	Severe: slope
24: Svea-----	Moderate: wetness	Moderate: shrink-swell	Moderate: shrink-swell wetness	Moderate: shrink-swell	Severe: low strength	Slight
Barnes-----	Slight	Moderate: shrink-swell	Moderate: shrink-swell	Moderate: shrink-swell	Severe: low strength	Slight
24B: Svea-----	Moderate: wetness	Moderate: shrink-swell	Moderate: shrink-swell wetness	Moderate: shrink-swell slope	Severe: low strength	Slight
Buse-----	Slight	Moderate: shrink-swell	Moderate: shrink-swell	Moderate: shrink-swell slope	Severe: low strength	Slight
24E: Buse-----	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: low strength slope	Severe: slope
Svea-----	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: low strength slope	Severe: slope
25E: Barnes-----	Moderate: slope	Moderate: shrink-swell slope	Moderate: shrink-swell slope	Severe: slope	Severe: low strength	Moderate: slope
Parnell-----	Severe: excess humus ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: shrink-swell ponding	Severe: low strength shrink-swell ponding	Severe: ponding
Buse-----	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: low strength slope	Severe: slope

Building Site Development--Continued
Stutsman County, North Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. See text for definitions of terms used in this table. Absence of an entry indicates that no rating is applicable.)

Map symbol and soil name	Shallow excavations	Dwellings without basements	Dwellings with basements	Small commercial buildings	Local roads and streets	Lawns and landscaping
30C: Svea-----	Slight	Moderate: shrink-swell	Moderate: shrink-swell	Moderate: shrink-swell slope	Severe: low strength	Slight
Sioux-----	Severe: cutbanks cave	Slight	Slight	Moderate: slope	Slight	Moderate: droughty
30E: Sioux-----	Severe: slope cutbanks cave	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
Barnes-----	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: low strength slope	Severe: slope
39F: Kloten-----	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: area reclaim slope thin layer
Buse-----	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: low strength slope	Severe: slope
40: Divide-----	Severe: wetness cutbanks cave	Moderate: wetness	Severe: wetness	Moderate: wetness	Moderate: frost action wetness	Moderate: wetness
Marysland-----	Severe: wetness cutbanks cave	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action wetness	Severe: wetness
41: Fordville-----	Severe: cutbanks cave	Slight	Slight	Slight	Slight	Slight
Renshaw-----	Severe: cutbanks cave	Slight	Slight	Slight	Slight	Moderate: droughty
41B: Fordville-----	Severe: cutbanks cave	Slight	Slight	Moderate: slope	Slight	Slight
Renshaw-----	Severe: cutbanks cave	Slight	Slight	Moderate: slope	Slight	Moderate: droughty
44: Arvilla-----	Severe: cutbanks cave	Slight	Slight	Slight	Slight	Moderate: droughty
Sioux-----	Severe: cutbanks cave	Slight	Slight	Slight	Slight	Severe: droughty
44C: Sioux-----	Severe: cutbanks cave	Slight	Slight	Moderate: slope	Slight	Severe: droughty
Arvilla-----	Severe: cutbanks cave	Slight	Slight	Moderate: slope	Slight	Moderate: droughty
44E: Sioux-----	Severe: slope cutbanks cave	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty
Arvilla-----	Severe: slope cutbanks cave	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
47B: Renshaw-----	Severe: cutbanks cave	Slight	Slight	Slight	Slight	Moderate: droughty

Building Site Development--Continued
Stutsman County, North Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. See text for definitions of terms used in this table. Absence of an entry indicates that no rating is applicable.)

Map symbol and soil name	Shallow excavations	Dwellings without basements	Dwellings with basements	Small commercial buildings	Local roads and streets	Lawns and landscaping
Sioux-----	Severe: cutbanks cave	Slight	Slight	Slight	Slight	Moderate: droughty
48B: Maddock-----	Severe: cutbanks cave	Slight	Slight	Slight	Slight	Moderate: droughty
48D: Maddock-----	Severe: cutbanks cave	Moderate: slope	Moderate: slope	Severe: slope	Moderate: slope	Moderate: slope droughty
49: Wyndmere-----	Severe: wetness cutbanks cave	Moderate: wetness	Severe: wetness	Moderate: wetness	Severe: frost action	Slight
50: Fossum-----	Severe: wetness cutbanks cave	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness
51: Arveson, SALINE-----	Severe: wetness cutbanks cave	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action wetness	Severe: excess salt wetness
52: Hecla-----	Severe: cutbanks cave	Slight	Moderate: wetness	Slight	Moderate: frost action	Moderate: droughty
Ulen-----	Severe: cutbanks cave	Slight	Moderate: wetness	Slight	Moderate: frost action	Moderate: droughty
54B: Hecla-----	Severe: cutbanks cave	Slight	Moderate: wetness	Slight	Moderate: frost action	Moderate: droughty
Towner-----	Severe: cutbanks cave	Slight	Moderate: shrink-swell wetness	Slight	Moderate: frost action	Moderate: droughty
55: Towner-----	Severe: cutbanks cave	Slight	Moderate: shrink-swell wetness	Slight	Moderate: frost action	Moderate: droughty
56: Swenoda-----	Moderate: wetness	Slight	Moderate: shrink-swell wetness	Slight	Moderate: frost action	Slight
56B: Swenoda-----	Moderate: wetness	Slight	Moderate: shrink-swell wetness	Moderate: slope	Moderate: frost action	Slight
Buse-----	Slight	Moderate: shrink-swell	Moderate: shrink-swell	Moderate: shrink-swell slope	Severe: low strength	Slight
56C: Swenoda-----	Slight	Slight	Moderate: shrink-swell	Moderate: slope	Moderate: frost action	Slight
Buse-----	Slight	Moderate: shrink-swell	Moderate: shrink-swell	Moderate: shrink-swell slope	Severe: low strength	Slight
57B: Embsen-----	Severe: cutbanks cave	Slight	Moderate: wetness	Slight	Moderate: frost action	Slight
58B: Clontarf-----	Severe: cutbanks cave	Slight	Slight	Slight	Moderate: frost action	Moderate: droughty

Building Site Development--Continued
Stutsman County, North Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. See text for definitions of terms used in this table. Absence of an entry indicates that no rating is applicable.)

Map symbol and soil name	Shallow excavations	Dwellings without basements	Dwellings with basements	Small commercial buildings	Local roads and streets	Lawns and landscaping
60: Hamerly-----	Severe: wetness	Moderate: shrink-swell wetness	Severe: wetness	Moderate: shrink-swell wetness	Severe: frost action	Moderate: wetness
Cresbard-----	Moderate: too clayey wetness	Severe: shrink-swell	Moderate: shrink-swell wetness	Severe: shrink-swell	Severe: low strength shrink-swell	Severe: excess sodium
61B: Swenoda-----	Moderate: wetness	Slight	Moderate: shrink-swell wetness	Slight	Moderate: frost action	Slight
Larson-----	Moderate: wetness	Moderate: shrink-swell	Moderate: shrink-swell wetness	Moderate: shrink-swell	Moderate: frost action low strength shrink-swell	Severe: excess sodium
62: Svea-----	Moderate: wetness	Moderate: shrink-swell	Moderate: shrink-swell wetness	Moderate: shrink-swell	Severe: low strength	Slight
Cresbard-----	Moderate: too clayey wetness	Severe: shrink-swell	Moderate: shrink-swell wetness	Severe: shrink-swell	Severe: low strength shrink-swell	Severe: excess sodium
62B: Cresbard-----	Moderate: too clayey wetness	Severe: shrink-swell	Moderate: shrink-swell wetness	Severe: shrink-swell	Severe: low strength shrink-swell	Severe: excess sodium
Barnes-----	Slight	Moderate: shrink-swell	Moderate: shrink-swell	Moderate: shrink-swell slope	Severe: low strength	Slight
63: Cresbard-----	Moderate: too clayey wetness	Severe: shrink-swell	Moderate: shrink-swell wetness	Severe: shrink-swell	Severe: low strength shrink-swell	Severe: excess sodium
Cavour-----	Moderate: too clayey wetness	Severe: shrink-swell	Moderate: shrink-swell wetness	Severe: shrink-swell	Severe: low strength shrink-swell	Severe: excess sodium
64: Cavour-----	Moderate: too clayey wetness	Severe: shrink-swell	Moderate: shrink-swell wetness	Severe: shrink-swell	Severe: low strength shrink-swell	Severe: excess sodium
Miranda-----	Severe: wetness	Moderate: shrink-swell wetness	Severe: wetness	Moderate: shrink-swell wetness	Moderate: low strength shrink-swell wetness	Severe: excess sodium
66: Exline-----	Severe: wetness cutbanks cave	Severe: shrink-swell	Severe: wetness	Severe: shrink-swell	Severe: low strength shrink-swell	Severe: excess sodium
70: Colvin-----	Severe: ponding	Severe: ponding	Severe: ponding	Severe: ponding	Severe: frost action low strength ponding	Severe: ponding
72: Minnewaukan-----	Severe: wetness cutbanks cave	Severe: flooding wetness	Severe: flooding wetness	Severe: flooding wetness	Severe: flooding wetness	Severe: wetness
73: Overly-----	Moderate: too clayey wetness	Moderate: shrink-swell	Moderate: shrink-swell wetness	Moderate: shrink-swell	Severe: frost action low strength	Slight

Building Site Development--Continued
Stutsman County, North Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. See text for definitions of terms used in this table. Absence of an entry indicates that no rating is applicable.)

Map symbol and soil name	Shallow excavations	Dwellings without basements	Dwellings with basements	Small commercial buildings	Local roads and streets	Lawns and landscaping
Bearden-----	Severe: wetness	Moderate: shrink-swell wetness	Severe: shrink-swell wetness	Moderate: shrink-swell wetness	Severe: frost action low strength	Moderate: wetness
73B: Great Bend-----	Severe: cutbanks cave	Moderate: shrink-swell	Moderate: shrink-swell	Moderate: shrink-swell slope	Severe: frost action low strength	Slight
Overly-----	Moderate: too clayey wetness	Moderate: shrink-swell	Moderate: shrink-swell wetness	Moderate: shrink-swell slope	Severe: frost action low strength	Slight
74: Aberdeen-----	Severe: cutbanks cave	Severe: shrink-swell	Severe: shrink-swell	Severe: shrink-swell	Severe: low strength shrink-swell	Severe: excess sodium
76: Fargo-----	Severe: wetness cutbanks cave	Severe: shrink-swell wetness	Severe: shrink-swell wetness	Severe: shrink-swell wetness	Severe: low strength shrink-swell wetness	Severe: wetness
77: Colvin-----	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action low strength wetness	Severe: wetness
79B: Sinai-----	Severe: cutbanks cave	Severe: shrink-swell	Severe: shrink-swell	Severe: shrink-swell	Severe: low strength shrink-swell	Slight
88C: Seelyeville-----	Severe: excess humus wetness	Severe: low strength wetness subsides	Severe: low strength wetness subsides	Severe: wetness subsides	Severe: frost action wetness subsides	Severe: excess humus wetness
90: Lamoure-----	Severe: wetness	Severe: flooding wetness	Severe: flooding wetness	Severe: flooding wetness	Severe: flooding low strength wetness	Severe: wetness
92: Channeled-----	---	---	---	---	---	---
Lamoure-----	Severe: wetness	Severe: flooding wetness	Severe: flooding wetness	Severe: flooding wetness	Severe: flooding low strength wetness	Severe: flooding wetness
La Prairie-----	Moderate: flooding wetness	Severe: flooding	Severe: flooding	Severe: flooding	Severe: flooding low strength	Severe: flooding
93: La Prairie-----	Moderate: wetness	Severe: flooding	Severe: flooding	Severe: flooding	Severe: low strength	Slight
94: Darnen-----	Severe: excess humus	Severe: low strength	Moderate: shrink-swell	Severe: low strength	Moderate: frost action	Slight
94B: Darnen-----	Severe: excess humus	Severe: low strength	Moderate: shrink-swell	Severe: low strength	Moderate: frost action	Slight
100: Pits, Sand And Gravel---	Severe: slope cutbanks cave	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope small stones droughty

Building Site Development--Continued
Stutsman County, North Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. See text for definitions of terms used in this table. Absence of an entry indicates that no rating is applicable.)

Map symbol and soil name	Shallow excavations	Dwellings without basements	Dwellings with basements	Small commercial buildings	Local roads and streets	Lawns and landscaping
W: Water-----	---	---	---	---	---	---

